



Capitol Barricade, Inc.

*Locally Owned
Since 1975*



Traffic Control | Events | Signs | Equipment
Sales and Rental | Pavement Stencils

Capitol Barricade has been providing traffic control services in the Northern California region for more than 30 years. We are a licensed California Contractor for Traffic Control that provides the quality services and equipment needed to help you get the job done. We offer a full service sign shop that designs and manufactures work area and project signs, custom signage, as well as permanent regulatory and warning signs.

As traffic control professionals, we offer a range of services which include Traffic Control Plans, Flagging and the set up, maintenance and tear down of work zone projects. Licensed, Certified and Bonded. Capitol Barricade is the right choice for your project.



6001 Elvas Avenue
Sacramento, CA 95819

Ph: 916-451-5176

Fax: 916-451-5388

sales@capitolbarricade.com

WWW.CAPITOLBARRICADE.COM



TABLE OF CONTENTS



SERVICES

Traffic Control.....2-4
Installation.....5



LARGE EQUIPMENT

Variable Message Trailers.....6-7
Advance Warning Arrow Trailers.....8-9
Jamlogic.....10-14
Safety Lights.....15
SLED™ Crash Cushion.....16
Rumble Strips.....17
Temporary Ramp.....18
Sand Barrel Systems.....19



TRAFFIC CONTROL DEVICES

Barricades.....20-21
Barricade Lights.....22
Safety Rail.....23
Safety Wall.....24
Water Wall.....25
Traffic Cones.....26-27
Delineators.....28
Channelizers & Drums.....29
Pavement Markers & Adhesives.....30
Flashing Beacons.....31



SIGNS

Sign Shop.....32-33
Braille.....34
EC Film.....35
Roll-Up Signs.....36
Sign Stands.....37
ADA Signs.....38
Construction Signs.....39-40
Warning Signs.....41-42



SIGNS

Regulatory Signs.....43-44
Sign Hardware & Posts.....45-46



ALUMINUM & PLASTIC STENCILS

USS Legend Stencils.....47-51
Stencil Mask.....52



STRIPING SUPPLIES

Pavement Marking.....53-54
Wheel Stops & Truncated Domes.....55



LED SIGNS & SIGNALS

Signal-Tech.....56
LED Rail Safety Signage.....57
LED Signs for Lane Control.....58



BLUEPRINTS & SITE PLANS

Scans & Copies.....59-61



SAFETY SUPPLIES

High Viz Safety Apparel.....62-64
Hard Hats, Gloves & Eyewear.....65
General Supplies.....66



WARNING LIGHTS

Beacons.....67



RENTALS

Rental Equipment.....68-69



DISTRIBUTOR LIST

Distributors.....70





Services

TRAFFIC CONTROL

Flaggers & Equipment Set Up and Pick Up

Capitol Barricade is a licensed contractor for Construction Zone Traffic Control that you can count on. As traffic control professionals, we offer a range of services which include Traffic Control Plans, Flagging and the set up, maintenance and tear down of work zone projects.



We are fully equipped to plan and staff your road construction project, and we stock all of the equipment you'll need to get the job done.





Traffic Plans

With Engineer Stamped Traffic Control Plans designed using a computer aided design program, you can rest assured knowing that your plans have been developed by experienced traffic safety professionals. Signatory to the Laborer's Union, Capitol Barricade employs only highly trained and certified Traffic Control Technicians and Flaggers.



General Notes:
Nothing allowed in the buffer and transition areas at any time.
Signs are showing to the public only when in use.
Signs and channelizing devices must be retro-reflective or illuminated during night operations.
Signs are 1.5m X 1.5m (48"X48") in size unless noted otherwise.
Signs are spaced per the 2014 CA MUTCD.
Channelizing device spacing and taper lengths are based upon their respective charts (see charts on this page).
Notify the local law enforcement, fire and ambulance 24 hours before work begins.
Traffic Control Contractor to make sure all traffic control equipment meets 2014 CA MUTCD requirements.
Remove all conflicting markings for long term operations five days or longer.
The locations of signs and equipment as shown on the illustration are guidelines only.

CA MUTCD 2014 Edition Table 6C-1 and Table 611-4

Device Name	Taper Length	Spaced W	Taper Length				Spaced W	Spaced W	Spaced W
			1	2	3	4			
1-AB	100'	100'	100'	100'	100'	100'	100'	100'	
1-PCMS	100'	100'	100'	100'	100'	100'	100'	100'	

L = Taper Length W = Spaced W = Width - offset from the path of travel
Low Speed is 40 MPH - High Speed is 45MPH and above
Board Upon 85% Fill or if not available, Use one Posted Speed Limit (PSL)


ROAD TYPE	1-PCMS 1	1-PCMS 2	1-PCMS 3
Highway (4+ lanes)	100'	100'	100'
Highway (2-3 lanes)	100'	100'	100'
Urban Arterial (4+ lanes)	100'	100'	100'
Urban Arterial (2-3 lanes)	100'	100'	100'
Collector	100'	100'	100'
Local	100'	100'	100'

**Paul Morrill
Excavating**

900 Meridian Ave
San Jose, CA



Begin:
End:

Capitol Barricade
C-31 Contractor # R47170
4801 Elbow Avenue
Sacramento, CA 95819
916-451-5176



Queue Monitoring Systems

Queue monitoring is a reliable and effective way to inform motorists of upcoming traffic scenarios as they approach a work zone. Our "turnkey" systems offer cutting-edge technology with ease of use as a first priority. The pre-programmed equipment is positioned at the specified locations and simply turned to ON.





Services

TRAFFIC CONTROL

Special Events

Capitol Barricade is the company of choice for special events coordination and traffic control. Easy central access to any event including concerts, conventions, weddings, etc. . . Well established with the surrounding City and County agencies, Capitol Barricade gets the job done safely, efficiently, and professionally.



RUN TO FEED THE HUNGRY





Equipment Installation, Fabrication & Repair



Capitol Barricade is the authorized repair facility for WANCO, ADDCO and VER-MAC message boards and arrow boards. We'll get you and your equipment back out on the road as soon as possible.

We install and repair truck mounted strobe lights, truck mounted Arrow Boards and truck mounted Message Boards. We also install Four Corner Strobe Light Kits.

When it comes to safety lighting we have you covered!





Large Equipment

TRAILER MOUNTED CHANGEABLE MESSAGE BOARDS



PCMS-1210/PCMS-1210QS TRAILER-MOUNTED MESSAGE SIGNS

Ver-Mac's PCMS-1210/PCMS-1210QS are 3-line and 8 characters per line trailer-mounted portable changeable message signs. They feature the Opti Power lens, Tilt-and-Rotate solar panels, JamLogic fleet management software (modem required) and optional Stealth Technology. Both units combine energy-efficient design and high-quality construction to provide the most reliable and cost-effective message signs on the market. PCMS-1210 comes with our NTCIP-compliant V-Touch controller and PCMS-1210QS with a hand-held controller. PCMS-1210 and PCMS-1210QS are the perfect 3-line models to be used for highway construction projects.

PCMS-320 TRAILER-MOUNTED MESSAGE SIGN

Ver-Mac's PCMS-320 is a mid-size full-matrix trailer-mounted portable changeable message sign. The PCMS-320 features the NTCIP-compliant V-Touch controller, Opti Power lens, Tilt-and-Rotate solar panels, JamLogic fleet management software (modem required) and optional Stealth Technology. This unit combines energy-efficient design and high-quality construction to provide the most reliable and cost-effective message signs on the market. The PCMS-320 has a compact design which makes it perfect to be used on highway construction projects where space is limited and in urban areas.





TRAILER MOUNTED CHANGEABLE MESSAGE BOARDS



PCMS-548



PCMS-548LE

LAW ENFORCEMENT MODEL

PCMS-548/PCMS-548LE
TRAILER-MOUNTED MESSAGE SIGN

Ver-Mac's PCMS-548/PCMS-548LE are mini full-matrix trailer-mounted portable changeable message signs. They feature the NTCIP-compliant V-Touch controller, Tilt-and-Rotate solar panels, JamLogic fleet management software (modem required) and optional Stealth Technology. Both units combine energy-efficient design and high-quality construction to provide the most reliable and cost-effective message signs on the market. PCMS-548 is perfect for lower speed roadways and urban areas. PCMS-548LE has the same features, but comes painted in white with radar and modem, which makes it the perfect r



PCMS-3812
TRAILER-MOUNTED MESSAGE SIGN

Ver-Mac's PCMS-3812 PRO Series is a MUTCD compliant mid-size full-matrix portable changeable message sign. The default display is 3 lines and 8 characters (12 in.) per line, with the ability of displaying multiple fonts, lines of text and graphics. It features Stealth Technology, NTCIP-compliant V-Touch controller, V-Sync WiFi communication and JamLogic® Fleet Management Software. This unit combines cutting-edge technology, energy-efficient design and high-quality construction to provide the most reliable, cost-effective and safe to operate message sign on the market. Our PCMS-3812 PRO Series is the perfect versatile model that can be used for highway construction projects or for lower speed roadways and urban areas.



Large Equipment

VEHICLE MOUNTED ARROWBOARD

ARROWBOARD MODELS

MODEL	DIMENSIONS IN. (MM)	LED LIGHTS
VM-4815	48 x 96 (1216 x 2438)	15
VM-4825	48 x 96 (1216 x 2438)	25
VM-367215	36 x 72 (915 x 1829)	15
VM-367225	36 x 72 (915 x 1829)	25
VM-306015	30 x 60 (762 x 1524)	15
VM-306025	30 x 60 (762 x 1524)	25



VER-MAC®



POWER TILT MOUNT WITH AUTO UP/DOWN FEATURE

The Auto Up/Down feature ensures that the arrowboard is in the display position when in use and in the travel position when unit is off, preventing damage and reducing wind drag.

- Select arrow pattern and arrowboard automatically raises to display position
- Select off and arrowboard automatically lowers to travel position
- Actuator's integrated limit switch prevents motor gear wear and tear
- Automatically detects the upright position—clear indicator on the display showing if the arrowboard is in the up or down position
- Bed Rail or Bed Floor mounting can be added (optional)

OPTI POWER LENS

Our 15- and 25-light arrowboards feature the Opti Power lens. Our molded lamps are made of 32 LEDs encapsulated in our Opti Power lens. They are designed to maximize each LED's output and utilize up to 35% less energy.



VEHICLE-MOUNTED ARROWBOARDS

Ver-Mac offers 15- and 25-light arrowboards in several sizes with a variety of mounting options to meet your vehicle needs. Our cigarette plug wireless V-Touch controller reduces installation time and costs. The V-Touch AB controller combined with the Auto Up/Down feature make programming safe, quick and easy.

ROOF



BED FLOOR



BED RAIL



All mounts fit with manual pivoting or power tilt.

MANUAL PIVOTING



POWER TILT



Both fit any size Ver-Mac arrowboard.


- 1-year warranty on complete unit
- 2-year warranty on electronics manufactured by Signalisation Ver-Mac Inc.

V-TOUCH AB CONTROLLER

Ver-Mac's vehicle-mounted arrowboards are controlled with our compact 3.75 in. (95 mm) wireless V-Touch AB controller. It's the industry's most functional and easy-to-use controller!

- **Wireless** – reduces installation, maintenance and repair costs
- **Intuitive point-n-go icons** – allow to quickly select arrow patterns/mode
- **Backlit screen** – perfect for nighttime use
- **Real-time battery voltage level** – an intelligent audible alert will advise that the truck's battery is low prior to the arrowboard turning off
- **Additional functionalities** – lamp diagnostic, settings, and much more
- Integration of other equipment (optional)
- Wired version of the controller (optional)





◆ ST-4815/ST-4825

Ver-Mac's ST-4815 and ST-4825 are trailer-mounted arrowboards with 15 and 25 lights, respectively. They both feature our single-mast design, wireless V-Touch controller, Stealth Technology and Opti Power lens. Both units combine energy-efficient design and high-quality construction to provide the most reliable and cost-effective arrowboards on the market.

WIRELESS V-TOUCH CONTROLLER

- **Easy-to-read** – 3.75-inch (95 mm) pressure-sensitive black and white display screen
- **Wireless** – eliminates wire harness reducing maintenance and repair costs
- **Simple to operate** – the intuitive point-n-go icons allow you to quickly select arrow patterns/mode
- **Additional functionalities** – lamp diagnostics, settings, battery voltage level, and much more






WHAT IS JAMLOGIC FOR SMART WORK ZONES?

Our JamLogic software provides transparent client server access to all devices and data. The software analyzes traffic data and provides real-time information to the motoring public, project managers, agencies, traffic management centers (TMC), and public websites.

JAMLOGIC SYSTEM OVERVIEW




Stealth Technology

Ver-Mac's Stealth Technology was designed to eliminate two of the industry's biggest issues: battery maintenance and battery theft.



Ver-Mac's Stealth Technology utilizes sealed maintenance-free batteries stored in a cleverly hidden battery compartment. The sealed batteries prevent the equipment from shutting down due to lack of battery maintenance. Both features ensure continuous performance of the equipment and reduce maintenance, repair and labor costs.



REMOTELY

MONITOR, MAINTAIN AND MANAGE

YOUR TRAFFIC CONTROL EQUIPMENT FROM ANY PC, LAPTOP, TABLET OR SMARTPHONE!



MESSAGE SIGN



MODEM

GET **FREE ACCESS** TO JAMLOGIC SIMPLY BY ADDING A HIGH-SPEED GPS MODEM TO YOUR EQUIPMENT.

JAMLOGIC AT A GLANCE


- INTERACTIVE LIST AND GPS MAP VIEW OF ALL YOUR EQUIPMENT WITH ACTIVE STATUS
- DISPLAY A MESSAGE TO 1 OR MANY SIGNS AT ONCE
- MESSAGE LIBRARY
- MESSAGE SCHEDULING
- POWER MONITORING
- COMMUNICATION MONITORING
- CUSTOM FOLDERS (BY PROJECTS, CUSTOMER, ETC.)
- DEVICE SHARING WITH CUSTOMERS
- FULL MAINTENANCE DIAGNOSTICS (PRINTABLE REPORT)
- CREATE YOUR OWN GRAPHICS OR LOGO
- CHANGE FONT SIZE HEIGHT OR WIDTH
- INTEGRATION OF SWZ EQUIPMENT (OPTIONAL)

JAMLOGIC FLEET MANAGEMENT SOFTWARE



WHY USE JAMLOGIC IN SMART WORK ZONES?

IN US WORKZONES, THERE WERE:



Smart Work Zones (SWZ) improve safety and mobility and save lives by providing useful driver information, improving traffic flow and reducing incidents. Data demonstrates that during the past 5 years, Smart Work Zones, along with other safety initiatives, have reduced fatalities in US work zones nearly 30%. An example of effectiveness that the implementation of smart work zone systems brought to the TxDOT during I-35 construction in central Texas:



SWZ EQUIPMENT

Ver-Mac is a leading manufacturer of NTCIP-compliant SWZ equipment:

- Portable changeable message sign (PCMS)
- Permanent dynamic message sign (DMS)
- Portable sensors and cameras
- Speed-Mac portable sensors
- Work zone and variable speed limit signs (VSL)
- Speed information feedback signs
- Additional SWZ devices

JAMLOGIC SOFTWARE


Ver-Mac's JamLogic software provides transparent web-based access to all devices and data. The software analyzes traffic data and provides real-time information to the motoring public, project managers, agency traffic management centers (TMC) and public websites. Ver-Mac can provide the right technology and application to make your work zone smart.

- Queue detection and warning
- Work zone travel time / alternate route
- Work zone and variable speed limits
- Zipper merge (Late merge)

EXPERTISE

- Over 15 years and 150 successful SWZ deployments
- A team of engineers that designs detailed SWZ plans
- Trained technicians to implement the logic and deploy the equipment
- Software and staff to manage the project






JAMLOGIC PROJECT LIST AND MAP VIEW

- Interactive map and list view
- Color-coded speed data
- Real-time message display
- Communication and battery status diagnostic



JAMLOGIC DATA REPORTS

- Quick and easy custom reports, graphs and data exporting
- Sensor, sign and event history
- Monthly, weekly, daily, hourly
- 24/7 access to all real-time and historical data
- Export to Excel



JAMLOGIC PTZ CAMERA

- Stream live video of work zone
- Pan, tilt and zoom (PTZ)
- Unlimited viewer access
- Video recording available



Large Equipment
JAMOLOGIC



VER-MAC

GET EVEN MORE WITH JAMLOGIC ALERTS AND UPDATES (optional)

Manage your fleet more effectively in REAL TIME!



UPDATE YOUR JAMLOGIC SCREEN AUTOMATICALLY

- Battery voltage level
- Messages being displayed
- GPS location



RECEIVE E-MAIL ALERTS AND UPDATES

- Low battery voltage or cellular failure warning
- Tracking of any change to the GPS coordinates of your equipment

YOU DON'T NEED TO
MANUALLY UPDATE
YOU JAMLOGIC
SCREEN ANYMORE,
OUR SOFTWARE WILL
DO IT FOR YOU.

“HAVING A REAL-TIME QUICK AND GLOBAL VIEW OF ALL DEVICES AT ONCE WILL ENABLE YOU TO BE PROACTIVE AND RAPIDLY ASSESS A SITUATION AS ALL THE CURRENT STATUS ARE ON A SINGLE VIEW”

- Todd Melin—V.P Sales and Marketing

IMPROVE THE SAFETY OF YOUR WORKERS — NO NEED TO SEND OUT SOMEONE TO CHANGE THE MESSAGE ON YOUR MESSAGE SIGNS.





AirStar Balloon Safety Lights - Halogen - 2K HA

- Quick and Easy Set Up
- Efficient: diffuses a powerful soft light due to halogen lamps
- Versatile: can be mounted on a stand or adapted to any equipment
- Lightweight: packed into a container, small enough to be carried in a car



Stand Sold Separately

Safe & Reliable IP53 balloon

The texture of the envelope is non flammable

The volume of the balloon keeps the envelope cold and allows handling without being burnt

A safety system switch turns the power off if the internal pressure is reduced

Light Type Halogen

Watts 2000 Watts

Volts 110V

Lighted Area 16,000 Square Feet



Large Equipment SLED™ CRASH CUSHIONS



**TraFFix
Devices Inc.** 
Engineered Products for Safer Highways

SLED™ Crash Cushion

**MASH (Manual for Assessing Safety Hardware)
Tested, Passed and Eligible**

The Sentry Longitudinal Energy Dissipater (SLED) is a narrow, non-redirective gating crash cushion. SLED is designed to shield the end of all permanent and temporary portable barrier shapes including concrete, steel and plastic



- FHWA Accepted for Shielding the Blunt End of Concrete, Steel and Water Filled Barriers
- Quick and Easy Set-Up, No Foundation Anchoring, Minimized Installation Exposure Time
- Cost Effective End Treatment for Concrete, Steel or Water Filled Barriers
- Universal Transition Quickly and Easily Attaches to a Variety of Barrier Shapes and Sizes
- SLED's Stout Design Virtually Eliminates Vaulting
- Narrow Footprint is Ideal for Work Zones or Roads with Minimal Shoulder Spacing
- Shortest Length TL-3 Water Filled Crash Cushion, Fewer Incidental Impacts
- Containment Impact SLED Minimizes Debris Field
- Visual "Drive By" Fill Indicators Quickly Verify Water Module's are Properly Filled
- FHWA Accepted for Use in Uni- and Bi- Directional Applications
- Internal Steel Cables Help Envelop Vehicle After an Impact, Creating a Truly "Limited Gating" System



Weight Empty: 995 lbs.
Filled: 6,505 lbs.
Length: 25' 3"
Width: 22 ½" Height: 42"
Speed Rating: 62 MPH



RoadQuake 2™ Temporary Portable Rumble Strip

RoadQuake 2 Alerts Drivers to Changing Road Conditions

Where daily installation and removal
of the work zone is required for:

- Flagger Operations
- Pilot Car Operations
- Temporary Lane Closures
- Paving Projects
- Maintenance Tasks
- Emergency Traffic Control
- Temporary Checkpoi

Temporary:

No nails or glue needed for installation. Quick
installation and removal.

Portable:

No installation equipment needed. 1 person can
easily assemble and install an array in minutes.

Durable:

3-5 year life expectancy. Suitable for use in rain and
other inclement weather.

For speed limits of 75 m
or less Temperatures fro
0° to 180° F
13" wide x 3/4" thick
Weighs 110 lbs
66" length





The BoardWalk™ Temporary Portable Modular Ramp

The BoardWalk Temporary Portable Modular Ramp provides accessible, detectable and safe guidance where pedestrian access routes cross curbs

- Each modular section consists of two Edge Support Castings and two boards
- Modular sections connect for ramp length needed. No hardware required
- Sections are portable at 30lbs
- Durable cast iron Edge Support Castings are 8" High x 12" Wide
- Edge Support Castings designed for 2" x 6" slip-resistant lumber
- Metal Approach Plates are 18" x 48" with slip-resistant grip tape
- Ramp rated at 800 lb. capacity for 48" maximum width

Replaces curb transitions and temporary ramps that are non-compliant.

Approach Plates 48" W x 18" L feature slip-resistant grip tape
Slip-resistant surface

4" width wheelchair friendly

Allows for any slope of 1" rise for 12" run
Modular Edge Support Castings provide guidance for use of canes and walking devices

Suspended design allows for normal street drainage
Modular Edge Support Castings accommodate handrail assemblies



CrashGard® Sand Barrel Systems



CrashGard® Sand Barrel System is a non-redirective, gating sand barrel, or crash cushion. The system is comprised of 3 components: barrel, lid and insert. The one, universal barrel accommodates all weight requirements.

- Designed for use in posted speed limits from 25-70 MPH (Contact us for other speeds) See our CrashGard Product Guide for recommended design arrays by speed limit
- Withstands minor impacts during routine handling
- Designed for easy transport
- Barrels nest easily for convenient storage
- UV stabilizers maximize product life, Color-stable pigments resist fading



To ensure effective performance and compliance, we tested CrashGard Sand Barrel System to NCHRP-350 Tests 3-40 through 3-44, at Test Level 3. CrashGard passed all applicable tests and is certified to 62 MPH (100 kph).



Designed for 4' and 6' wide retroreflective sheeting. Retroreflective sheeting meets all state and federal specifications, and is available in Engineer, Hi-Intensity and Fluorescent grades



Type I and Type II Barricade



- Available in 8" Plywood & 12" Plastic
- 2' Wide and 4' Tall
- EG or Hi-Intensity Grade Sheeting
- Galvanized Steel Legs
- Meets MUTCD Standards
- Meets Caltrans Requirement per Section 12-3.10 of 2018 Standard Specifications

Type III Barricade



- Available in 4' Plywood
- Angle Iron Leg Support
- EG or Hi-Intensity Grade Sheeting
- Galvanized Steel Uprights
- Meets MUTCD Standards
- Meets Caltrans Requirement per Section 12-3.10 of 2018 Standard Specifications

Pedestrian Barricade

- 7' Length, 3.5' Wide
- Heavy Duty Galvanized Steel
- Hooks Together to Form Linked Barrier System
- Portable and Durable





**Capitol
Barricade, Inc.**

916-451-5176
6001 ELVAS AVENUE
SACRAMENTO, CA 95819



Introducing the MT3 Type III Barricade and Sign Support System



The MT3 is the first Type III Barricade System tested to **MASH** Standards with an Aluminum Sign
Caltrans and FHWA
Approved

Our Patented break away feature allows successful crash testing with aluminum signs mounted 1 foot and 7 feet above the surface

MASH Compliant WZ - 332

For More Information Contact Joe Riehl at Capitol Barricade :
916-451-5176

WWW.CAPITOLBARRICADE.COM



LED D Cell Contractor Barricade Light

Flashing and Steady Burn 3 volt high efficiency lights

- New case is rugged and durable (co-polymer) and has breakaway internal candle
- It is easy to service these units as the case is snap-lock and batteries are positioned vertically
- To install the batteries simply drop the D cells into the light base and snap-lock the base closed
- Because of the design of the case, you can be sure that it will stay closed during transportation and/or rough handling of the lights
- Internal damage is reduced via impact absorbing breakaway candles
- Trouble free operation due to reliable moisture proof circuitry as well as bright and dependable LED's



Light can operate on 2 or 4 "D" cell batteries.
This light complies with all current ITE purchase specifications referenced in the Federal MUTCD



Lens is made of Polycarbonate housing is constructed of High Impact Polypropylene.
This light complies with all current ITE purchase specifications referenced in the Federal MUTCD

LED Solar Contractor Barricade Light

3 Way Switch, On/Off, Steady Burn, Flash

- Rechargeable battery (charges in 1 day)
- Visible from 3000+ feet
- High impact polypropylene case, weatherized, impervious to UV
- Operates for 5 nights on a single charge; begins operation when ambient light falls below 215 Lux
- High impact poly-carbonate lens
- Flash rate of 60 times per minute
- Weighs less than 2 pounds
- Swivels 360° on the base



PSS
Innovations for Safety®

SafetyRail™ ADA-Compliant Pedestrian Barricade

SafetyRail meets ADA Guidelines and MUTCD 2009 Edition Standards both as a sidewalk closure or longitudinal channelizer



- Smooth, continuous upper surface for safer hand-trailing.
- Long cane users can tap confidently. Space between bottom and ground is less than 2"; reduces potential for trapped cane tips
- Accepts pedestrian aids like warning lights and Audible Information Devices
- Retroreflective sheeting helps guide pedestrians safely through work zones
- Flat vertical surface (the front, as shown) eliminates obstacles, like those found in most barricades

Versatile Design Provides Safe, Continuous Guidance for Pedestrians

SafetyRail and Wave are made from HDPE plastic (high density polyethylene) with UV inhibitors, for longer life.

SafetyRail FHWA Acceptance Letter: WZ-278.

Wave FHWA Acceptance Letter: WZ-173 & 244

SafetyRail is an NCHRP-350, Test Level 3 Device






SafetyWall™ ADA-Compliant Pedestrian Barricade

**A Detectable Device for Accessible Work Zones.
Pedestrians are Safer**



- Smooth, continuous upper surface for safer hand-trailing
- Long cane users can tap confidently. Space between bottom and ground is less than 2"; reduces potential for trapped cane tips
- Accepts pedestrian aids like warning lights and Audible Information Devices
- Retroreflective sheeting helps guide pedestrians safely through work zones
- Flat vertical surface (the front, as shown) eliminates obstacles, like those found in most barricades



SafetyWall ADA-Compliant Pedestrian Barricade complies with MUTCD standards as well as ADA Guidelines



SafetyWall is an interlocking device.

Made from HDPE plastic (high density polyethylene) with UV inhibitors, for longer life.

FHWA Acceptance Letter WZ-315





Water-Wall™ Water-Filled Barrier

Traffix Water-Wall™ Water-Filled Barrier



The Water-Wall Barrier is a durable side protective temporary crash barrier system that can be used in many situations; from protecting the public surrounding a construction site, to work-zone safety on roads and highways.

- Durable polyethylene plastic minimizes cracking and breaking
- Molded through holes eliminate bowing when filled with water
- Double wall knuckle design minimizes breakage at hinge points
- Hinge design allows for a 30° pivot between sections
- Large 8" fill hole speeds filling process, includes twist-lock plastic cap
- New tamper resistant, corner offset drain plug with coarse buttress thread
- Includes one steel connection pin that allows sections to be locked together
- Forklift/Pallet Jack slots at bottom allow for easy movement and transport



The Water-Wall can quickly and easily connect directly to the SLED end treatment which negates the need to shield or flare the end of the barrier. The Water-Wall Barrier is an economical and easy to install crash barrier system.



Weight Empty: 80 lbs.
 Filled: 1,110 lbs
 Length: 6'
 Width: 18"
 Height: 32"
 Material: Linear Low Density Polyethylene



Reflective Traffic Cones - Black Base



- Interlock PVC traffic cone
- Soft PVC cone body locked black PVC base
- Best base to core interlock system
- Other colors available
- Available with high intensity cone colors
- Meets MUTCD standards



Description	Dimensions	Weight
12" TRAFFIC CONE	9"x9"x12"	2.4Lbs
18" TRAFFIC CONE	11"x11"x18"	3Lbs
28" TRAFFIC CONE WIDE BODY	14"x14"x28"	7Lbs
28" TRAFFIC CONE WIDE BODY	14"x14"x28"	7Lbs
28" TRAFFIC CONE WIDE BODY	14"x14"x28"	10Lbs
36" TRAFFIC CONE (SLIM BODY)	14"x14"x36"	10Lbs
36" TRAFFIC CONE WIDE BODY	14"x14"x36"	10Lbs
36" TRAFFIC CONE	14"x14"x36"	12Lbs



Solid Orange PVC Traffic Cone - Black Base



- Bright fluorescent red/orange color provides better visibility at work sites
- UV stabilized to increase durability
- Available with reflective Class 1 collars
- Logo branding – printed or encapsulated under top surface layer



Description	Dimensions	Weight
12" TRAFFIC CONE	22cm x 22cm x 30cm 9"x9"x12"	1.3 lbs.
18" TRAFFIC CONE	36cm x 36cm x 45cm 14"x14"x18"	2.4 lbs.
18" TRAFFIC CONE	36cm x 36cm x 45cm 14"x14"x18"	3 lbs.
28" TRAFFIC CONE	36cm x 36cm x 71cm 14"x14"x28"	5 lbs.
28" TRAFFIC CONE	36cm x 36cm x 71cm 14"x14"x28"	7 lbs.
36" TRAFFIC CONE	36cm x 36cm x 91cm 14"x14"x36"	9 lbs.
36" TRAFFIC CONE	36cm x 36cm x 91cm 14"x14"x36"	10 lbs.



Diamond Top® Delineator

- 42" in height
- Made of flexible low density polyethylene
- Grabber handle patented design allows for easy movement



Knob Top Delineator

- Height 45" x Width 4"
- Knob Top for easy handling
- Accepts Cone Bars
- Low density polyethylene



Cone Bars

- Reusable and highly reflective at night
- Lightweight for easy transport and setup
- More effective than warning tape



Open Top Delineator

- Two sizes, 42"H and 28"H
- Post diameter - 4"
- 6" diameter
- Reflective bands, 3" or 4"



Different colors and reflective strips available on request



Rubber Delineator Bases

Recycled Rubber
Snug fitting
Four sizes - 8 lbs., 10 lbs., 12 lbs, and 18 lbs.



All of our delineators meet MUTCD standards and are Caltrans approved

Class 1 Delineators

- Low-cost post increases visibility and improves safety
- Plastic PVC material makes them highly flexible
- Available in custom colors and lengths





Surface Mount Channelizer Posts

- 360° full-view direction channelizer has 2.25" or 3.25" post diameter
- 180° 2-way direction post has 2.25" diameter with 3" x 12" flat or 3.25" diameter with 4" x 12" flat
- Post Material: High impact polyethylene blend or polyurethane
- Base Material: Hy-Last rubber
- Flexible rubber bases minimize impact damage to posts
- Base is compatible with all styles of adhesive mounting for lane delineation applications
- Delineator posts are available in 18", 24", 28", 36", 39", 42" & 48" heights
- Delineator posts can be ordered in orange, white or yellow
- Peel-and-stick adhesive butyl pads sold separately



Testing and Certificates:
 NTPEP Reports #TTCD 6020.1 and 6021.11
 EN 12767 Passive Safety Certified
 Complies with MUTCD and NCHR 350
 Proven durability on the NTPEP and TTI
 test decks



Island Markers

Used facing traffic on island approach noses to indicate the presence of a raised curb or other obstruction

- Impactable Marker
- CALTRANS APPROVED
- Tested to meet DOT
- Type 2 Object Marker is specified



Channelizer Drums

- Drum and base remain "snapped together" until impacted or separated for transportation and storage
- Two mounting holes for optional barricade lights
- NTPEP tested-meets or exceeds MUTCD specifications





APEX Raised Pavement Markers

- Applied with pressure sensitive adhesive.
- Designed for application on asphalt and portland cement concrete road surfaces.
- These markers provide highly effective, long-life visibility, particularly at night and in wet weather.

Chip Seal Markers

- Durable Polyurethane marker
- Highly visible both day and night
- 3 styles: single cover, double cover, and double staple



Raised Pavement Dots

Non-reflective pavement markers Provide tactile feedback to drivers Durable glazed ceramic construction. Formed protrusions on base provide greater bonding surface



Crafco Qwickstik Adhesive



Two Part Marker Epoxy



Butyl Pads



Marker Epoxy Gun System





Yellow Jacket

12" LED Self Contained Beacon Unit

Meets the Caltrans Specification for Advanced Warning Flashing 12" Beacons

- Completely self contained beacon unit
- Long-lasting 12" lens with LED bulb unit saves power
- LED lights for clearer visibility and longer life span
- Weather & Impact-resistant lens and housing
- Amber or Red Lens
- D- Cell Battery Pack sold separately
- Batteries sold separately
- Sealed beacon head to prevent moisture dust & debris
- Optional connection to any 12v deep cycle battery
- Each beacon is individually tested and inspected to ensure that you get the best quality
- Custom Wiring and battery options available
- Meets or exceeds MUTCD standards



Housing 14" x 15" x 6"
 Overall length: 21"
 59-60 Flashes per minute
 12" LED Bulb
 Weight: 8 LBS






Full Service State -of -the Art Sign Shop

Aluminum, plastic or plywood and everything in between, our state-of-the art sign shop is equipped to turn your sign orders quickly and efficiently. Capitol Barricade is your one stop shop for signage.

- ADA & Braille Signs
- Banners
- Regulatory Signs
- Street Name Signs
- Custom Signs
- Temporary Traffic Control
- Trade Show Graphics
- Custom Stencils
- Mast Arm Signs
- Warning Signs
- Project Signs
- Work Zone Signs






Large Format Latex Printing

Signs • Banners • Photos • Canvas
• Trade Show Graphics



CNC Routing

Street Sign Blanks • Custom Shapes • Flat-Cut Letters •
Aluminum • Wood • Acrylic • PVC • Sign Foam • ChemMetal



Stencils

ADA • Striper • 1/8" LDPE plastic • .080"
Aluminum • Custom



Project Signs

Full Color Digital • Plywood • Aluminum
• Coroplast





CNC Routed ADA Compliant Braille Signage



We specialize in creating clear, quality custom ADA Compliant signage to promote a safe and accessible environment in a wide variety of professional buildings.



- Braille Restroom Signs
- California Title 24 signs
- Accessible Parking Signs

Numerous Design Options

We have a large range of colors, fonts, shapes and materials Including:

Plastics, acrylics, Plexiglass, aluminum, wood grains and more, that allow any notice to be clear and readable.

Our signs and labels are available in a variety of sizes and materials. All of our accessibility stickers and signs are produced using industrial strength materials suitable for outdoor or indoor use.





ATSM EC TRANSPARENT OVERLAY FILM FOR SIGN MAKERS

American Traffic Safety Materials EC Transparent Overlay Film is a cast film that is very easy to use it can be applied to any reflective film to produce exceptionally bright, high-contrast reflective colors. Fast and versatile, our EC Film allows you to use standard computerized graphics equipment to cut, weed, and mask areas up to 60" wide. (Colors, sizes, and type of material may vary.)

ATSM EC Film is one of the most cost-effective ways to produce small quantities of similar or identical signs and is ideal for street name signs.



FULLY REPOSITIONABLE

Amazing, but true – our PVC EC Transparent Overlay Film is specifically formulated to be forgiving! It can be applied and, if need be, repositioned over reflective sheeting without wrinkling or tearing.



* Black, White & Colored Vinyl Available in 2ML & 3ML

* Transfer Paper Available in 48" rolls cut to your specifications





Bone Roll -Up Signs


We specialize in MUTCD Compliant and NCHRP-350 Certified roll-up signs.
Our SafeZone Series Signs are made from premium, state-of-the-art materials.

Material :

- Standard Mesh
- Premium Mesh
- Non-Reflective Vinyl with superior fade resistant stabilizers

Reflectivity:

- 3M Hi Intensity Reflective
- 3M Diamond Grade
- Orafol Marathon
- Orafol Superbright



All of our signs include:

- Poly-carbonate Corner Pockets
- Anti-Kiting Strap
- All signs secure easily into our patented Quick Release Auto Latch
- Easy to read border legend
- Heavy Duty Rib Kit
- Sign Storage Strap






Bone SafeZone Series Sign Stands

All SafeZone Series Sign Stands come with our patented Auto-Latch mechanism, unless our Universal Bracket is requested. The advantage of our Auto-Latch is the speed in which the sign is attached and released from our stands.

- Crash Design Breakaway Base
- Exclusive Quick Release System for all modular attachments and accessories
- Compact and Lightweight
- Bright Orange, UV Stabilized, Powder Coated Legs, for Safety, Durability & Visibility
- Pull Pin and Kick Release for fast setup by hand or foot
- Simple Nut & Bolt Construction allows for fast repairs using basic hand tools
- Readily available Replacement Parts or Assemblies
- 3 Height Adjustments on Legs for Use on Uneven Terrain
- Skid Resistant Rubber Feet





ADA PARKING LOT SIGNS



T35



R99C



R 99B



R7-8A



R100B



R 100 B



R100B MOD



DIREC LEFT



DIREC RIGHT



DIREC BLANK



COMBO




R99



R99 MOD



R99 C-MOD





Signs

CONSTRUCTION SIGNS




W3-3



SC5 (CA)



R9-9



R9-10



R9-11



R9-11a



W1-8




W3-1



W3-2



SC10 (CA)



SC10 (CA)



SC11 (CA)




SC13 (CA)




SC8 (CA)



SC9 (CA)



R11-3a



R11-4



SC18 (CA)



SC19 (CA)

Marker Signs



OM4-1
Type N-5 (CA)




OM4-2



OM4-3

Type 4 Object Markers



L-1 (CA) L-1 (CA) L-2 (CA) L-2 (CA)
Type L (CA) Markers



Left Right
Type P (CA) Markers



OM2-1H



OM2-2H



OM2-1V



OM2-2V

Type K-1 (CA)

Type K-2 (CA)

Type 2 Object Markers



N-2,-7 (CA)


Type N (CA) Object Marker



Type Q (CA)



Type R (CA)



Utility Pole



OM1-1



OM1-2



OM1-3

Type N-4 (CA)

Type 1 Object Markers



N-1,-6 (CA)

Type N (CA) Object Marker

Project Signs





W1-1



W1-1a



W1-2



W1-2a



W1-3



W1-4



W1-5



W1-6



W1-7



W1-8



W2-1



W2-2



W2-4



W2-5



W14-3



W13-1P



W13-2



W13-3



W13-6



W13-7



W14-1



W10-1



W10-1aP



W10-2



W10-3



W10-4



W10-5



W10-5P



W16-7P



W10-13P



W10-14aP



W10-12



W11-1



W11-1 (CA)



W11-2



W10-14P



W10-15P



W12-2



W3-1



W3-2



W3-3



W3-4



W3-5



W3-6



Signs

WARNING SIGNS



S1-1



S3-1



S3-2



S4-3P



S4-5



SW4-1 (CA)



SW17-1 (CA)



SW24-2 (CA)



SW24-3 (CA)



SW26 (CA)



SW32 (CA)



SW35 (CA)



SW37 (CA)



SW38 (CA)



W4-5



W4-5P



W4-6



W4-10 (CA)



W6-1



W6-2



W6-3



D11-1



D12-1



D4-1



D4-2



D4-3



D5-1




D5-2




G30A (CA)



G30B (CA)



S24 (CA)



S25 (CA)



S26 (CA)



S27 (CA)



S28 (CA)



G26-1 (CA) Shield



G26-2 (CA) Marker



G27-1 (CA) Shield



G27-2 (CA) Marker



R1-1



R1-2



R1-2aP



R1-3P



R3-2



R3-3



R3-4



R3-5



R3-5a




R3-7



R3-8



R3-8a



R3-8b



R12-5



R13A (CA)




R13B (CA)



R14-1



R15-1P



R15-2P



R15-4a



R5-1



R4-7a



R4-7b



R4-7c



R4-8



R4-8a



R4-8b



R10-11



R10-5



R10-6



R10-7



R10-8




R10-5



R10-6



R5-1a
Activated Blank-Out



R5-1b



R8-10



R9-1



R9-2



R9-3



Signs

REGULATORY SIGNS



R38(S) (CA)



R38A (CA)



R39 (CA)



R39-1 (CA)



R39-2 (CA)




R40 (CA)



R47A (CA)




R48 (CA)



R48-1 (CA)



R48-2 (CA)



R49 (CA)



R53A (CA)



R30B (CA)



R30C (CA)



R30D (CA)



R30E (CA)



R30F (CA)




R31 (CA)



R78 (CA)



R79 (CA)



R80-1 (CA)



R81 (CA)



R73-5 (CA)




R73-6 (CA)




R81B (CA)



R82A (CA)




R82B (CA)



R91B (CA)



R93A (CA)



SR56 (CA)



R87-3 (CA)



R87-4 (CA)



R87-5 (CA)



R88 (CA)




Street Sign Hardware

- Hardware to mount all types of street signs
- Post caps for round and square posts
- Cross pieces for all blade types
- Hardware to ensure secure and proper installation



Round Post Bracket




Set Screws

90° Cross Separator




Set Screws

U-Channel Post 180° Bracket




Set Screws

U-Channel Post 90° Bracket



Set Screws

Universal Cross Separator




Set Screws

Separator can be set to 45° or 180°

Round Steel Sign Posts

2-3/8" dia. 0.063" / 16 Gauge Galvanized
Round Sign Posts



Galvanized U-Channel Sign Posts

Variable Sizes with a standard hole dia.
of 3/8" spaced out 1" apart



Perforated Telspar Sign Posts

Unistut 1-3/4" Square X 24FT Length
Telspar Telescoping Square Tubing -
Perforated - Pre-Galv Finish





Anchors and Sleeves

- Multiple lengths and configurations
- Durable steel construction
- Can be manufactured to conform to most requirements



U-Bolt Clamp Kit

- Designed to fasten a sign to a round post
- Center mounted bolt for attaching sign



Drive Rivets

- Specially designed for traffic sign applications
- Installs with just a hammer
- Cannot be removed with common tools
- Resistant to tampering and theft




Strap and Saddle System


- Steel strap attaches with a screwdriver
- Secures a bulls eye mounting bracket
- Works well for mounting flat panel signs to a round post





ALUMINUM PAVEMENT STENCILS
FOR PAINT AND THERMOPLASTIC
(PLASTIC STENCILS ALSO AVAILABLE)









The addition of the USS Stencil capabilities makes Capitol Barricade the most versatile and nimble stencil manufacturer in the Western US. You can count on world class service and high quality products with timely and reliable turnaround.












HIGHWAY ARROWS (CONFORM TO FEDERAL HIGHWAY ADMINISTRATION AND D.O.T. DESIGN STANDARDS)




STREET ARROWS







PARKING LOT ARROWS (MEETS NO STATE OR FEDERAL DESIGN STANDARDS.)




PH HEAD



PS SHAFT



PAC
1 PIECE ARROW




PC REVERSABLE CURVED
SHAFT


CUSTOM LEGENDS ALSO AVAILABLE
.080" THERMALIZED ALUMINUM WITH
ROLLED EDGES FOR PAINT AND FLAT
FOR THERMOPLASTIC.

STOCK AND CUSTOM LEGENDS ALSO
AVAILABLE IN .125" HDPE PLASTIC.


SYMBOLS




Handicapped parking symbol
H38" SYMBOL
H48" SYMBOL




Diamond symbol
DL SYMBOL



BSF SYMBOL




BSC SYMBOL




PARKING T


COMPLETE WORD STENCILS




BIKE 48



LANE 48



BUS 48



STOP 48

Paint Stencils have rolled edges for stiffening, ease of handling and to prevent paint overspray.



**ALUMINUM PAVEMENT STENCILS
LETTERS AND NUMBERS**

IMAGE*	CALIF. D.O.T. PRIOR TO 1988			CURRENT F.H.A. AND CALIF. D.O.T.		
	D.O.T. IMAGE WIDTH × 96" H	OVERALL SIZE FOR PAINT WIDTH × 106" H	OVERALL SIZE FOR HOT PLASTIC WIDTH × 108" H	FEDERAL IMAGE WIDTH × 96" H	OVERALL SIZE FOR PAINT WIDTH × 106" H	OVERALL SIZE FOR HOT PLASTIC WIDTH × 108"
A	24"	28"	30"	16"	20"	24"
B	19"	22"	30"	16"	20"	24"
C	17"	20"	24"	16"	20"	24"
D	19"	22"	30"	16"	20"	24"
E	16"	20"	24"	16"	20"	24"
F	16"	20"	24"	16"	20"	24"
G	18"	22"	27"	16"	20"	24"
H	18"	22"	27"	16"	20"	24"
I	4"	8"	15"	4"	8"	15"
K	22"	25"	30"	16"	20"	24"
L	16"	20"	24"	16"	20"	24"
M	28"	32"	36"	16"	20"	24"
N	18"	22"	27"	16"	20"	24"
O	22"	25"	30"	16"	20"	24"
O**	16"	20"	24"	16"	20"	24"
P	20"	25"	27"	16"	20"	24"
Q	22"	25"	30"	16"	20"	24"
R	20"	25"	30"	16"	20"	24"
R***	24" × 72"	32" × 80"	32" × 80"	13" × 72"	20" × 85"	18" × 84"
S	18"	22"	27"	16"	20"	24"
T	20"	25"	30"	16"	20"	24"
U	21"	25"	30"	16"	20"	24"
V	24"	28"	30"	16"	20"	24"
W	27"	32"	36"	16"	20"	24"
X	22"	25"	30"	16"	20"	24"
Y	24"	32"	30"	16"	20"	24"
Z	19"	22"	30"	16"	20"	24"
0	24"	32"	32"	16"	20"	24"
1	6"	15"	15"	4"	8"	12"
2	24"	32"	32"	16"	20"	24"
3	24"	32"	32"	16"	20"	24"
4	27"	32"	36"	16"	20"	24"
5	24"	32"	32"	16"	20"	24"

BARS	4" × 120"	10" × 130"
	6" × 120"	12" × 130"
	8" × 120"	14" × 130"
	12" × 96"	20" × 106"
	12" × 120"	20" × 130"
	16" × 120"	24" × 130"
	24" × 120"	32" × 130"

* NOTE: Specify for Paint or Thermoplastic Application

** School "O" *** R × R





STENCIL MASK




STENCIL MASK

A unique, water based strippable coating that is environmentally friendly. May be thinned to apply and can be brushed or rolled.

- Non-hazardous product
- Odor free
- Neutral PH
- Ready to apply - no mixing or thinning
- Can be brushed or sprayed
- Releases paint effectively
- Easy clean up with water
- Reasonably priced

HAZARD RATING: HEALTH=0, FLAMIBILITY=0, VOC=0, REACTIVITY=0, PROTECTION=A





Impact Recovery Systems

- Tuff Curb Systems
- Durable high performance traffic separator curb
- Parking Lot Signs
- Sta-Rite posts are impactable and reboundable
- Several Products available on request



Bertelson PRECAST

- Low physical boundary for parked vehicles
- Durable concrete reinforced with rebar
- 3', 4' and 6' stops available
- (2) holes to mount to pavement

Concrete Car Stops



Paint Recycling, Inc.
 "Quality Latex Paint"

- 60% Post Consumer Recycled Content
- 3000 PSI 28 Day Strength
- 15% Lighter than Conventional Concrete Bumpers
- Molded with two No. 5 Rebar

Rubber Speed Bumps

- Reduce traffic speed 2-5 mph
- 100% recycled rubber
- Easy to install on any road or surface
- Reflective color stripes
- Cats eye reflectors



3D ADA Mats Surface Mount w/Primer

- For use in Retrofit applications
- Large perimeter beveled edges for smooth transition
- Secured with color matched fasteners and structural adhesive
- Surface applied tiles are 1/8" thick with beveled edges






Temporary Marking Tape

- An economical alternative to permanent pavement marking tapes
- Perfect for marking driveways or parking lots
- Coated with sand and retroreflective beads
- Available in White and Yellow



Thermoplastic Lines

- Colors: White / Yellow
- Meets performance standard for California State Specification PTH-02 ALKYD
- Apply with a heat torch
- Durable Rolls



Thermoplastic Markings



- Quick and simple
- Bonds strong to the road surface
- Long term performance
- Applies with industrial heat torch



Inverted Spray Cans

- Marking and Striping paint
- Sprays upside down
- Covers approx. 300 linear ft of 2" in stripe
- Use with striping/marketing wand or striping machine



Paint Strainer Bags & Carpenter Chalk

- Elastic-top paint strainer bag for straining all types of paints and stains
- Regular Mesh, Elastic Top
- Polyester
- Size: 1 Gal



- Used for chalk lines. Marks easily, clings readily, can be painted over



Graco Striping Machine Parts

- Switch Tips
- Pump Repair Kits
- Pump manifold filters
- High performance airless paint hoses
- Pump inlet Strainers





Water Based Paint



- Standard waterborne traffic paint used for marking parking lots, curbs, airports, highways, streets and freshen traffic lanes surface for permanent usage
- Fast dry waterborne traffic paint that can be used in all striping equipment
- High-build waterborne traffic paint that give increased durability and film
- Meets performance standards of Federal Specification TT-P1952E, Type I, Type II
- Caltrans Approved
- 5 gallon Pail; 55 gallon Drum; 250 gallon Tote

Solvent Based Paint

- This specification covers a modified alkyd type of solvent base traffic paint it has a Volatile Organic Compound (VOC) of less than 100 ppm Fast dry waterborne traffic paint that can be used in all striping equipment
- Meets performance standards of Federal Specification TT-P 115 and A-A-2886B
- Surfaces Recommended to Paint: Highways, Streets, Parking lots
- 5 gallon Pail; 55 gallon Drum; 250 gallon Tote

Thermoplastic Extrude

- Colors: White / Yellow
- Meets performance standards for Federal Specification AASHTO M249 and California State Specification PTH-02 ALKYD



Reflective Glass Beads

- Increase safety and nighttime visibility
- Increase paint life
- Reduces drying time, tracking and traffic tie-ups
- industry recommends 8 lbs. of beads per gallon of paint



Thermoplastic Primer

- Solvent based, High VOC, 685 gms / lit. Caution : Flammable
- Fast Dry. Dry to touch : 5 mins. To Recoat : 15 mins. max. No thinning needed.
- Excellent adhesion to concrete, asphalt and most road, parking garage surfaces and to top coated traffic paint.



Signal-Tech

Capitol Barricade Proudly Sells Signal-Tech LED Signs for :

- Rail Safety Signage
- Lane Control
- Red Storm™ Parking Guidance System





LED Rail Safety Signage



LED Dynamic Message Signs

Enhance pedestrian and motorist safety at intersections. Consolidate traffic sign messages where possible and eliminate unnecessary redundancies.

LED dynamic message signs combine multiple messages within a single sign. Messages can be displayed individually or in sequence with a steady or flashing message. Messages extinguish or blank-out when not activated eliminating motorist confusion.



R3-1A
36" x 36"



W10-7
24" x 24" | 36" x 36"



No Left Turn | Train
30" x 24"

Message	Cabinet Size	LED Color	Part No.
R3-1a No Right Turn On Tracks	36" x 36"	White	26553
R3-2a No Left Turn On Tracks	36" x 36"	White	26554
W10-7 Light Rail Transit Vehicle Approaching	24" x 24"	Amber White	25008
W10-7 Light Rail Transit Vehicle Approaching	30" x 30"	Amber White	25013
No Left Turn Train	30" x 24"	Red White	27239
No Right Turn Train	30" x 24"	Red White	26950



Light Rail Transit

Locate light rail approaching signs at Light Rail Transit (LTR) stations and grade crossings to enhance public safety.

These LED activated warning signs supplement the main traffic signal indicators. The sign message can be programmed to flash when illuminated alerting motorists and pedestrians to approaching rail traffic.



Message	Cabinet Size	LED Color	Part No.
R3-1a No Right Turn On Tracks	36" x 36"	White	26553
R3-2a No Left Turn On Tracks	36" x 36"	White	26554
W10-7 Light Rail Transit Vehicle Approaching	24" x 24"	Amber White	25008
W10-7 Light Rail Transit Vehicle Approaching	30" x 30"	Amber White	25013
No Left Turn Train	30" x 24"	Red White	27239
No Right Turn Train	30" x 24"	Red White	26950



LED Signs for Lane Control



R3-2 No Left Turn
24" x 24"
Shown with optional visor



R5-1 Do Not Enter
30" x 30"
Shown with optional visor

LED Lane Use Signs

- Custom or MUTCD symbols and layouts
- Can combine multiple messages in a single cabinet
- Messages blank-out or extinguish when off
- Constructed with high performance LEDs
- Excellent day and night visibility
- IP66/NEMA 4X Rated cabinet
- Redundant power supplies
- Redundant photocells for dimming



R3-1 No Right Turn
24" x 24" | 30" x 30" | 36" x 36"



R3-2 No Left Turn
24" x 24" | 30" x 30" | 36" x 36"



R3-3 No Turns
24" x 24" | 30" x 30" | 36" x 36"



R3-4 No U Turns
24" x 24" | 30" x 30" | 36" x 36"



R5-1 Do Not Enter
24" x 24" | 30" x 30" | 36" x 36"




R3-5L Left Turn Only
30" x 24"
Shown with optional visor

Message	Cabinet Size	LED Color	Part No.
R3-1 No Right Turn	24" x 24"	Red White	17720
R3-1 No Right Turn	30" x 30"	Red White	10270
R3-1 No Right Turn	36" x 36"	Red White	20082
R3-2 No Left Turn	24" x 24"	Red White	8125
R3-2 No Left Turn	30" x 30"	Red White	9957
R3-2 No Left Turn	36" x 36"	Red White	8467
R3-3 No Turns	24" x 24"	White	25526
R3-3 No Turns	30" x 30"	White	17590
R3-3 No Turns	36" x 36"	White	19727
R3-4 No U Turn	24" x 24"	Red White	8555
R3-4 No U Turn	30" x 30"	Red White	26792
R3-4 No U Turn	36" x 36"	Red White	26794
R5-1 Do Not Enter	24" x 24"	Red White	15061
R5-1 Do Not Enter	30" x 30"	Red White	10914
R5-1 Do Not Enter	36" x 36"	Red White	14749

Blueprints & Site Plans

SCANS & COPIES



**Capitol
Barricade, Inc.**

916-451-5176

*We are proud to
announce.....*

BLUEPRINTS

= and =

SITE PLANS

**Scanning &
Printing
Available
NOW!**

**CALL NOW FOR
ORDERS & PRICING**

**6001 ELVAS AVENUE
SACRAMENTO, CA 95819
SALES@CAPITOLBARRICADE.COM
WWW.CAPITOLBARRICADE.COM**

DELIVERY

COLOR PRINTS




Large Copies, Scans & Prints

We have the capability to photocopy large drawings in full color or black & white. Excellent for copying maps, drawings, plans, posters, patterns, and any other large documents. Our large copier/scanner also handles precise copy reductions and enlargements... great for making smaller reduced copies of large house plans, etc.



**Site Plans
Engineering
Copies, Scans &
Prints**


**Fast, Clear &
Convenient!**





We Deliver Convenience

Easy file uploading and delivery / shipping available. Let us handle all of your large copying and scanning needs.



**COLOR
BLACK & WHITE
DELIVERY & SHIPPING
AVAILABLE!**



ML Kishigo ANSI Class III Storm Stopper Pro

- Waterproof breathable material with durable seam sealed construction
- Black bottom and accents for a mix of functionality and style
- 2" wide Reflexite® reflective bands
- Adjustable wrist cuffs
- Ventilated back and armpits
- Reinforced D-ring access on back



ML Kishigo ANSI Class III Storm Cover

- Waterproof material with durable seam sealed construction
- 2" wide high performance reflective material
- Zipper/storm flap closure for weather protection
- Non-sparking snaps and zipper
- Adjustable wrist cuffs
- Mesh liner



ML Kishigo ANSI Class III Storm Stopper

- Waterproof material with durable
- Seam sealed construction
- 2" wide high performance reflective material
- Zipper/storm flap closure
- Non-sparking snaps and zipper
- Fully vented cape back for breathability
- Adjustable wrist cuffs
- Mesh liner





ML Kisigo ANSI Class E Rainwear Pants

- Reflective trim down the outside of the legs for enhanced low light visibility
- Adjustable leg cuff straps
- Zipper cuff for boot access
- Large left and right side gusseted cargo pockets with reflective trim



ML Kishigo ANSI Class III Storm Cover Pants

- Waterproof material with durable seam sealed construction
- 2" wide high performance reflective material
- Zipper/storm flap closure for weather protection
- Non-sparking snaps and zipper
- Mesh liner



ML Kishigo ANSI Class III Ripstop Bomber Jacket

- Durable ripstop material with waterproof seam sealed construction and fleece body & hood
- Hood fits into the collar or can be removed altogether
- Quilted sleeves for easy arm in and out access
- 2" wide high performance reflective material
- Adjustable cuffs with rubber pulls for easy use when wearing gloves





ML Kishigo ANSI Class III Mesh Vest

- 100% polyester mesh.
- Zipper front closure
- 2 wide reflective material with 3 contrasting color
- Left chest mic tab



ML Kishigo ANSI Class II Mesh Vest

- Ultra-Cool™ 100% polyester mesh
- Hook & loop front closure
- 4-season adjustability allows for accurate sizing in any weather even over bulky coats
- Two 1" wide high performance reflective material with 4.5" contrasting color
- Left chest mic tab



ML Kishigo ANSI Class II Surveyors Vest

- Solid polyester front with mesh back.
- Heavy duty black bottom and trim to help keep a clean appearance
- Zipper front closure reinforced with durable webbing
- 2" wide high performance reflective material laminated to 3" contrasting color
- Left and right mic tabs
- 2 lapel grommets
- Padded neck for comfort





Cap Style Hard Hat



- Heavy-duty hard hats to wear on the job
- Adjustable 4-point ratchet suspension for a custom fit
- Includes washable sweatband



Full Brimmed Hard Hat

- Extra 360° protection from sun, rain and debris
- For construction, road crews, maintenance
- Easy to adjust for a custom fit



Natural Rubber Gloves



- Designed for optimal fit and long lasting comfort
- Maximum grip and dexterity
- Wrist cuff prevents debris from entering the glove



Leather Driver Gloves



- Shirred elastic wrist helps keep dirt and debris from entering the glove
- Select grain cowhide leather
- Flexible keystone thumbs



READYMAX

SoundShield Safety Glasses

- Patented safety eyewear and hearing protection combination
- Feature anti-fog, scratch resistant and polycarbonate impact resistant lenses that absorb 99% of UV rays
- Ready to use, retractable PermaPlug earplugs that provide NRR 25 noise protection
- Extensive side shield protection perfect for even your most heavy-duty jobs
- Ideal for construction environments and outdoor activities





Magnetic Safety Glow Wand

- 17" and 21" high intensity LED baton
- 5 high intensity white LED lights
- 3 flashing patterns
- Strong magnetic bottom
- Belt clip and lanyard



First Aid Kits

- Wide variety of first aid items for most minor injuries encountered in a construction environment
- Features easy carry handle
- ANSI Compliant



Caution Tape



- Contractor grade
- Plastic remains pliant in cold weather.
- Unleaded pigments and inks

Round Reflector



- The adhesive backing mounts flat surface for permanent usage
- Size: 3" round
- Choose from 2 colors: Red or Amber
- Ideal for trailers & trucks

Airport Flag

- Heavy duty nylon flag. 36" x 36" Orange & white checkers with hem for staff
- Meets requirements for Airport Construction Jobs
- Includes 60" wooden dowel



Orange Vinyl Coated Mesh Safety Flag



- Flag w/32" Dowel: 18" x 18"- DOT Compliant
- Heavy-duty, double vinyl-coated vinyl coated mesh
- Meets FMCSA 49 CFR Section 393.87 and most state requirements


Conspicuity Tape

- Reflects light up to a 90° angle.
- 3M Diamond Grade – Extra thick and bright
- Rated for 7 years use.



Safety Fence

- Control pedestrian and vehicle traffic around hazards
- Use on construction sites, parking lots or warehouses
- Reusable plastic mesh





Quad-Flash Microburst LED Warning Light

- For vehicle applications where a small bright light is required
- Features a conspicuous quad-flash pattern for a more attention
- 60lb pull-magnet base with 15' straight cord and cigarette lighter plug with a built-in on/off switch.



Low Profile LED Micro-Mini Bar

- Multiple patterns to choose from, including simulated revolving and random flash
- Standard unit comes in 12V. Features "TRL" and "AGP" Technology
- Maximizes LED light output



MEGABURST Heavy Duty LED Beacon



- Maximum brightness, all LED warning light w/ 5 user-selectable flash patterns
- Can replace any existing warning light and increase visibility, decrease current draw, and eliminate maintenance



LED Mini-Bars

- 12/24V DC attention-getting, conspicuous, all LED mini light bar with 3 pre-programmed flash patterns



"Q25" in The 2000 Series



- Excellent for advance warning and for increased visibility in bad weather
- Feature a black powder painted aluminum base
- Tall fresnel lens and CLEAR outer dust cover
- High profile and high performance



MMB Strobe Micro-Mini Bars


- The MMB Strobe Micro-mini bars are 16" in width and include a polycarbonate outer dome, inner fresnel lenses, and a powder painted steel base with rubber gasket





Traffic Control Devices

- Traffic Cones
- Barricades
- Delineators
- Pedestrian Barricades
- Flag Trees
- Beacons



Signs

- Temporary traffic control signs
- Barricade mounted
- Roll-Up Signs, cross braces and stands



Message Trailers

- 96 inch 3 line message trailer
- 120 inch 3 line message trailer
- Full Matrix Trailers
- Arrow board trailers





SLED System

- Narrow, non-redirective gating crash cushion
- FHWA accepted for shielding the blunt end of concrete, steel and water filled barriers



Water- Filled Barrier

- Quickly and easily connect directly to the SLED end which negates the need to shield or flare the end of the barrier
- The Water-Wall Barrier is an economic and easy to install crash barrier system



Light Towers

- Popular for work sites & events
- Diesel engine
- Powerful halogen lights
- Extendable mast
- Portable trailer



Balloon Lights

- Glare-free 360° lighting
- Large lighted area with low power usage
- Rain and dust proof balloon
- Resilient in extreme temperatures






Capitol Barricade
DISTRIBUTORS





Capitol Barricade, Inc.

*Locally Owned
Since 1975*



Ph: 916.451.5176
Fax: 916.451.5388

6001 Elvas Avenue
Sacramento, CA 95819
sales@capitolbarricade.com

Monday- Friday
7:00 AM to 5:00PM

WWW.CAPITOLBARRICADE.COM

Capability Statement



Capitol Barricade, Inc.

Locally owned since 1975, Capitol Barricade has been a licensed California contractor providing traffic control services in the Northern California region for more than 40 years. Our services include, the rental and sales of equipment such as arrow boards, barricades, cones, and changeable message boards. We offer a full service sign shop that designs and manufactures work area and project signs as well as permanent regulatory and warning signs, custom signs and banners. As traffic control professionals, we offer a range of services which include Traffic Control Plans, Flagging and the set up, maintenance and tear down of work zone projects.

Licensed, certified and bonded, Capitol Barricade is the right choice for your project.

COMPANY SNAPSHOT



Contract Holder
GS03F089CA



DUNS Number: 009453960 Class C31 CAGE Code: 54DL2

NAICS Code 339950 - Sign Manufacturing

Certified Small Business
Number :2782



sales@capitolbarricade.com



916.451.5176



6001 Elvas Avenue
Sacramento, CA 95819



CORE COMPETENCIES

- Traffic Control - Provide all equipment and custom, direction and street signage
- Temporary Traffic Control Plans
- Flagging, setup, teardown and maintenance of your work zone
- Special Events & Crowd Control
- State of the Art Digital Sign Manufacturing
- Custom Stencils - Aluminum & Plastic
- Banners
- Project Signs
- Fabrication & Installation
- Blueprint Scans & Copies



FLASHER BARRICADE ASSN.

PAST PERFORMANCE

When there is work to be done on the roadway - Your Safety is our FIRST Priority.



Capitol Barricade proudly provides equipment and services for most special events in the Greater Sacramento Area. When you take it to the streets, we are with you every step of the way.



WWW.CAPITOLBARRICADE.COM



6001 Elvas Avenue
Sacramento, CA 95819
Ph: 916-451-5176
Fax: 916-451-5388
sales@capitolbarricade.com

WWW.CAPITOLBARRICADE.COM



6001 Elvas Avenue
Sacramento, CA 95819
Ph: 916.451.5176
Fax: 916.451.5388

WWW.CAPITOLBARRICADE.COM